


Breakout Sessions

Ομάδες Εργασίας

Σωκράτης Τουμπεκτσής και Ιωάννα Βορβή
Συντονιστές Εκπαιδευτικού Έργου
1^ο ΠΕ.Κ.Ε.Σ. Κεντρικής Μακεδονίας

Ενεργοποίηση των Breakout Sessions



The screenshot displays the Cisco Webex Meetings application interface. At the top, the title bar includes the Cisco Webex Meetings logo, a 'Meeting Info' icon, and a 'Hide Menu Bar' option. Below the title bar is a menu bar with the following items: File, Edit, Share, View, Audio & Video, Participant, Meeting, Breakout Sessions, and Help. A large red arrow points down from the top of the screen to the 'Breakout Sessions' menu item, which is circled in red. The 'Breakout Sessions' dropdown menu is open, showing the following options: Breakout Sessions (circled in red), Start All Breakout Sessions, End All Breakout Sessions, Ask All to Return, Breakout Session Assignments, Join Breakout Session, Leave Breakout Session, Broadcast Message, and Ask for Help.

Cisco Webex Meetings | Meeting Info | Hide Menu Bar ^

File Edit Share View Audio & Video Participant Meeting Breakout Sessions Help

- Breakout Sessions
- Start All Breakout Sessions
- End All Breakout Sessions
- Ask All to Return
- Breakout Session Assignments
- Join Breakout Session
- Leave Breakout Session
- Broadcast Message
- Ask for Help

Προετοιμασία κατανομής συμμετεχόντων

Cisco Webex Meetings | Meeting Info | Hide Menu Bar ^

File Edit Share View Audio & Video Participant Meeting Breakout Sessions Help

- ✓ Enable Breakout Sessions
- Start All Breakout Sessions
- End All Breakout Sessions
- Ask All to Return
- Breakout Session Assignments**
- Join Breakout Session
- Leave Breakout Session
- Broadcast Message

Unmute Start video

3

Αριθμός ομάδων – κατανομή συμμετεχόντων

Breakout session assignments

Assign 10 participant into: 4 sessions

Automatically

Manually

Let participants choose any session **← Νέο!**

Create Assignments Cancel

Προσθήκη Breakout Sessions

Breakout session assignments

Not assigned (12) Selected: 3

Q Search

-
-
-
-
-
-
-

Select all Move to session

Breakout sessions (3) + Add session

- > Breakout session 1 (0)
- > Breakout session 2 (0)
- > Breakout session 3 (0)

Settings Reset Start breakout sessions

Μετονομασία – διαγραφή Breakout Sessions- μετακίνηση σε main room ή σε ομάδα

The screenshot shows the 'Breakout session assignments' dialog box in Cisco Webex Meetings. The interface is divided into two main sections: 'Not assigned (1)' and 'Breakout sessions (4)'. The 'Not assigned' section contains a search bar and a list of participants, with 'Host, me' being the only one listed. The 'Breakout sessions' section contains a list of four breakout sessions, each with a dropdown menu for actions: 'Rename', 'Assign', 'Delete', and 'More'. A red box highlights the 'Assign' dropdown menu, which is open and shows options: 'Anyone can join' and 'Anyone can join all sessions'. The 'Assign' dropdown is also highlighted with a red box. The 'More' dropdown is also open, showing options: 'Io: ...' and 'BC'. The 'Start breakout sessions' button is visible at the bottom right of the dialog box. The background shows the main meeting interface with a 'BC' watermark.

Cisco Webex Meetings | Meeting Info | Hide Menu Bar ^ | Connected

File Edit Share View Audio & Video Participant Meeting Breakout Sessions Help

Breakout session assignments

Not assigned (1)

Search

Host, me

Breakout sessions (4) + Add Session

Rename Assign More

Rename

Delete

Assign

Anyone can join

Anyone can join all sessions

Io: ...

BC

Select all Move to session

Settings Reset

Start breakout sessions

Mute Start video

Breakout Sessions: More

() Rename Assign **More**

Only assigned participants can join

Delete

The image shows a screenshot of a breakout session control interface. At the top, there is a grey bar containing three options: 'Rename', 'Assign', and 'More'. The 'More' option is circled in red. Below this bar is a white box with a black border containing the text 'Only assigned participants can join'. At the bottom of this box is a 'Delete' button, which is circled in blue.

Μετακίνηση, εναλλαγή, αφαίρεση ατόμων από Breakout Sessions

The screenshot shows the Cisco Webex Meetings interface with a 'Breakout session assignments' dialog box open. The dialog is divided into two main sections: 'Not assigned (0)' on the left and 'Breakout sessions (4)' on the right. The 'Not assigned' section contains a search bar and a 'Select all' checkbox. The 'Breakout sessions' section lists four sessions, with the first one expanded to show a list of participants. A red box highlights the 'Move to', 'Exchange', and 'Remove' options for a participant in the first session. The 'Start breakout sessions' button is visible at the bottom right of the dialog. The background shows the meeting toolbar with 'Mute', 'Start video', and other controls.

Breakout session assignments

Not assigned (0)

Search

Select all Move to session

Settings Reset

Breakout sessions (4) + Add Session

- Breakout Session 1 (1)
 - Participant: [Redacted] Move to Exchange Remove
- Breakout Session 2 (1)
 - Participant: [Redacted] Host, me
- Breakout Session 3 (0)
- Breakout Session 4 (0)

Start breakout sessions

Mute Start video

Μετακίνηση σε άλλη ομάδα

Breakout sessions (3) + Add session

▼ Breakout session 1 (2)

AR Move to Exchange | Remove

- Breakout session 2 (2)
- Breakout session 3 (2)
- New breakout session

The image shows a user interface for managing breakout sessions. At the top, there is a header 'Breakout sessions (3)' and a button '+ Add session'. Below this, a section titled 'Breakout session 1 (2)' is expanded. Inside this section, a card with the label 'AR' is highlighted with a red circle. To the right of this card are three buttons: 'Move to', 'Exchange', and 'Remove'. The 'Move to' button is highlighted with a blue box, and a dropdown menu is open below it. The dropdown menu contains three options: 'Breakout session 2 (2)', 'Breakout session 3 (2)', and 'New breakout session'. A mouse cursor is pointing at the 'Breakout session 3 (2)' option, and a blue dot is visible on the line connecting the dropdown to the menu item.

Ανταλλαγή/εναλλαγή μεταξύ συμμετεχόντων

The screenshot displays a user interface for managing breakout sessions. At the top, it shows "Breakout sessions (3)" with a "+ Add session" button. Below this, a dropdown menu is open for "Section Discussion (3)". The first item in the list is highlighted in light blue and contains the initials "AR", which is circled in red. To the right of this item are three options: "Move to", "Exchange" (highlighted with a blue box), and "Remove". A dashed blue line connects the "Exchange" button to a search dropdown menu. This menu includes a search bar with a magnifying glass icon and the text "Search". Below the search bar, the text "Not assigned" is displayed. Underneath, there is a list of three profile icons, with the top one highlighted in light blue.

Ρυθμίσεις στα Breakout Rooms

The screenshot displays the Cisco Webex Meetings interface with the 'Breakout session assignments' dialog box open. The dialog is divided into two main sections: 'Not assigned (0)' and 'Breakout sessions (4)'. The 'Breakout sessions (4)' section lists 'Breakout Session 1 (1)' and 'Breakout Session 2 (1)', with red boxes highlighting the participant icons. A settings panel is overlaid on the dialog, containing the following options:



- Allow attendees to return to the main meeting
- Allow attendees to join session later
- Automatically end breakout sessions after:
30 minutes
- When sessions end, give participants more time before returning to main meeting
Set countdown timer: 60 seconds

At the bottom of the settings panel, the 'Settings' button is highlighted with a red box and labeled '2'. The 'Start breakout sessions' button is highlighted with a blue arrow and labeled '3'. A red arrow points from the text 'Έναρξη Breakout Sessions' to the 'Start breakout sessions' button. The main meeting toolbar at the bottom shows the 'Breakout Rooms' icon circled in red and labeled '1'.



Έναρξη των Breakout Sessions

The screenshot displays the Cisco Webex Meetings interface during a breakout session. The main window is titled "Breakout session assignments" and shows a timer for "Breakout session time: 00:13". It is divided into two sections: "Not assigned (0)" and "Breakout sessions (4)". The "Breakout sessions (4)" section lists four sessions, each with a "Join" button. A notification dialog box is overlaid on the interface, titled "Breakout sessions have started". The message in the dialog reads: "You're assigned to the **Breakout Session 2** session. You can join now, or you can join later from the participants list or the **More options** menu." Below the message are two buttons: "Join now" and "Join later". At the bottom of the "Breakout session assignments" window, there are buttons for "Settings", "Broadcast", and "End all breakout sessions". The background shows the main meeting interface with a "Join" button for "Breakout session 2" and a "Breakout sessions" list.

Αίτημα για βοήθεια (Asking for Help)



Αποστολή μηνύματος (Broadcast Message)



Broadcast Message: επιλογή αποδεκτών

Broadcast to All Breakout Sessions

Broadcast to:

All sessions


All participants

All sessions
Breakout Session 1
Breakout Session 2

All participants
All cohosts and presenters

Send Cancel

Μήνυμα (Broadcast Message)



Επισκέψεις εκπαιδευτικού στις ομάδες μαθητών

The screenshot displays the Cisco Webex Meetings interface. The main window shows a meeting in progress with a central area containing two placeholder boxes labeled "Cohost, me" and "Cohost". The top menu bar includes "File", "Edit", "Share", "View", "Audio & Video", "Participant", "Meeting", "Breakout Sessions", and "Help". The bottom toolbar contains "Unmute", "Start video", "Share", "Breakout sessions", and other controls.

On the right side, a "Participants (21)" panel is open, showing a list of breakout sessions. The sessions are listed under the "Main meeting" tab, and each session has a "Join" button circled in red:

- κοπή λωακ (3/3)
- Αχλάδα (4/4)
- Πειρατής (4/4)
- Χορός μελασσοσχασσών (4/3)

Αποχώρηση συμμετέχοντα από breakout session


The screenshot displays the Cisco Webex Meetings interface. At the top, the title bar shows "Cisco Webex Meetings | Meeting Info | Breakout Session 2 | Hide Menu Bar ^" and a "Connected" status. Below the title bar is a menu bar with options: "File", "Edit", "Share", "View", "Audio & Video", "Participant", "Meeting", "Breakout Sessions", and "Help".

On the right side, there is a "Participants (1)" panel. It contains a green notification box that reads: "You're currently connected to the **Breakout Session 2** session." Below this, it shows "Session time: 01:57" and a search bar.


In the center, a dialog box is open with the title "Leave Breakout Session 2 session". The text inside the dialog asks: "Do you want to leave the **Breakout Session 2** session and return to the main session?". There are two buttons at the bottom of the dialog: "Leave session" (highlighted in red) and "Cancel".

At the bottom of the screen, there is a toolbar with various controls. A red circle highlights the "Leave session" button in the toolbar, with a white arrow pointing to the dialog box. Other controls include "Mute", "Start video", and "Mute all".


Νέα είσοδος συμμετέχοντα στην ομάδα




Τερματισμός των Breakout Sessions




Τερματισμός των Breakout Sessions




Τέλος λειτουργίας των Breakout Sessions, μήνυμα στον Host (εκπαιδευτικό)



- **Host: δυνατότητα επανεκκίνησης των breakout session αργότερα,**
- **με Start Breakout Sessions**




Τέλος λειτουργίας των Breakout Sessions, μήνυμα στην ομάδα




**Ανάθεση εργασίας στις ομάδες
Πώς μπορούμε να δώσουμε αρχεία/ασκήσεις;
6 τρόποι**

1^{ος} τρόπος: αποστολή φύλλου/ων εργασίας με file-transfer

1. ΠΡΙΝ χωρίσουμε τους μαθητές σε ομάδες (χειροκίνητα), αλλά έχοντας σχεδιάσει τη σύνθεση των ομάδων, την οποία κοινοποιούμε στους μαθητές, με file-transfer στέλνουμε στην ολομέλεια τα φύλλα εργασίας και κάθε ομάδα κατεβάζει το δικό της αρχείο, για να δουλέψει με αυτό στη συνέχεια.





To download a file, either select it and then click Download, or right-click and sele... | 1 ●

- Μπορούμε να δώσουμε 1 φύλλο εργασίας κοινό για όλες τις ομάδες.

2^{ος} τρόπος: επικόλληση συνδέσμου στο chat της ολομέλειας

2. ΠΡΙΝ χωρίσουμε τους μαθητές σε ομάδες (χειροκίνητα), γνωρίζοντας τη σύνθεση των ομάδων, θα δώσουμε στο chat της ολομέλειας τον σύνδεσμο (link) για κάθε ομάδα, ώστε να βρει το αρχείο που την αφορά

Ή

Να δώσουμε **ένα** σύνδεσμο, για να ασχοληθούν όλες οι ομάδες με την ίδια εργασία.

Καποδίστριας (Ιστορία ΣΤ)

- **1^η ΟΜΑΔΑ**, Ιστορία ΣΤ, Βιβλίο Μαθητή, σ. 141, Ερώτηση 1
http://ebooks.edu.gr/ebooks/v/pdf/8547/688/10-0182-01_Istoria_ST-Dimotikou_Vivlio-Mathiti/
- **2^η ΟΜΑΔΑ**, Ιστορία ΣΤ, Βιβλίο Μαθητή, σ. 141, Ερώτηση 2
http://ebooks.edu.gr/ebooks/v/pdf/8547/688/10-0182-01_Istoria_ST-Dimotikou_Vivlio-Mathiti/
- **3^η ΟΜΑΔΑ**, Ιστορία ΣΤ, Τετράδιο Εργασιών, σ. 26, Εργασία 18
http://ebooks.edu.gr/ebooks/v/pdf/8547/690/10-0183-01_Istoria_ST-Dimotikou_Tetradio-Ergasion/
- **4^η ΟΜΑΔΑ**, Ιστορία ΣΤ, Τετράδιο Εργασιών, σ. 26, Εργασία 19
http://ebooks.edu.gr/ebooks/v/pdf/8547/690/10-0183-01_Istoria_ST-Dimotikou_Tetradio-Ergasion/

3^{ος} τρόπος: επικόλληση άσκησης στο chat της ολομέλειας

Γλώσσα, Ε τάξη, Β τεύχος, εν. 9, σελίδα 42

1^η ομάδα: Συμπληρώστε τα κενά με το επίθετο **πολύς, πολλή, πολύ ή το επίρρημα πολύ:**

- Σήμερα σηκώθηκα _____ πρωί.
- Δεν μπορούσα να κοιμηθώ γιατί έκανε _____ ζέστη.
- Πήγα στο μπάνιο κι έριξα _____ νερό στο πρόσωπό μου.

2η ομάδα:

- Την ώρα που τρώγαμε το πρωινό μας, ο αδερφός μου είχε μια _____ καλή ιδέα, να επισκεφτούμε τη βιβλιοθήκη.
- Η βιβλιοθήκη είναι _____ μεγάλη και έχει _____ βιβλία.

Οι υπόλοιπες προτάσεις στις άλλες ομάδες ή διαφορετικές ασκήσεις στις ομάδες. Π.χ. άσκηση σελίδας 39

3^η ομάδα: Προσπαθήστε να ενώσετε τις παρακάτω προτάσεις κάνοντας τη μία από τις δύο δευτερεύουσα. Χρησιμοποιήστε τις λέξεις ή φράσεις που είναι στην παρένθεση.

- Διάβασα πολύ και κουράστηκαν τα μάτια μου. (επειδή)
- Διάβαζε τόσο σιγανά. Μόλις μπορούσα να τον ακούσω. (ώστε)

2. ΠΡΙΝ
χωρίσουμε τους μαθητές σε ομάδες (χειροκίνητα), γνωρίζοντας τη σύνθεση των ομάδων, θα δώσουμε στο **chat της ολομέλειας** την άσκηση για κάθε ομάδα

Ή
θα δώσουμε 1 άσκηση, κοινή για όλες τις ομάδες.

4^{ος} τρόπος: προφορικές οδηγίες

3. ΠΡΙΝ μπουν στα Breakout Rooms, προφορικές οδηγίες!

π.χ.

- Δείτε τη δραστηριότητα 3 στη σελίδα 44 του βιβλίου σας (ηλεκτρονικού ή έντυπου) και συζητήστε για να δώσετε την απάντησή σας ως ομάδα.
- – Δημιουργήστε έναν κατάλογο με τα ρήματα της 1^{ης} παραγράφου του κειμένου στη σελίδα 76 του βιβλίου σας.

5^{ος} τρόπος: επικόλληση συνδέσμου ή άσκησης στο chat της ομάδας

ΑΦΟΥ χωρίσουμε τους μαθητές σε ομάδες (χειροκίνητα ή αυτόματα), μπαίνουμε σε κάθε ομάδα χωριστά και επικολλούμε στο chat της ομάδας τον σύνδεσμο (link), για να βρουν το αρχείο με το υλικό ή επικολλούμε την άσκηση: π.χ.

Φυσικά, ΣΤ τάξη, Τετράδιο εργασιών, σελ. 122

Τοποθέτησε τους συνδετήρες σε απόσταση περίπου 20 εκατοστά από τον μαγνήτη. Πλησίασε σιγά σιγά τον μαγνήτη προς τους συνδετήρες. Τι παρατηρείς; Ακούμπησε στη συνέχεια τον μαγνήτη στους συνδετήρες. Τι παρατηρείς;

1^η ομάδα:

http://ebooks.edu.gr/ebooks/v/pdf/8547/682/10-0179-02_Fysika_ST-Dimotikou_Tetradio-Ergasion/

Φυσικά, ΣΤ τάξη, Τετράδιο εργασιών, σελ. 123

Συμπλήρωση Πίνακα

Πατώντας τον σύνδεσμο, τα παιδιά οδηγούνται στο βιβλίο και στη σελ. 123 βλέπουν τον παρακάτω πίνακα:

ΑΝΤΙΚΕΙΜΕΝΟ	ΥΛΙΚΟ	ΕΛΚΕΤΑΙ	ΔΕΝ ΕΛΚΕΤΑΙ
μολύβι	ξύλο		
κουτάλι	ατσάλι		
ποτήρι	γυαλί		
δαχτυλίδι	άργυρος		
καλαμάκι	πλαστικό		
δαχτυλίδι	χρυσός		
συνδετήρας	σίδηρος		
αλουμινόφυλλο	αλουμίνιο		
σύρμα από καλώδιο	χαλκός		

6^{ος} τρόπος: επικόλληση άσκησης στο μήνυμα

- 4. Επικολλώντας**
στο πλαίσιο του
μηνύματος την
άσκηση και
στέλνοντάς την,
ως μήνυμα, στην
ομάδα ή
στις ομάδες που
θέλουμε.

**Γεωγραφία, Ε τάξη, Τετράδιο ασκήσεων, Κεφ.
14, σελ. 21, άσκηση 3**

Συζητήστε τα πλεονεκτήματα των πεδινών περιοχών και κατόπιν γράψτε ένα μικρό κείμενο, στο οποίο θα αναφέρετε μερικούς από τους λόγους που οι πεδινές περιοχές αναπτύσσονται ευκολότερα σε σύγκριση με τις ορεινές περιοχές.

Άσκηση με μήνυμα

Broadcast to All Breakout Sessions ✕

Broadcast to:

All sessions ▼ All participants ▼

(Γλώσσα, Γ τάξη, Γ τεύχος, άσκηση σελ. 17).
Παιδιά, διαβάστε την παρακάτω άσκηση για το κείμενο
"Αληθινή Ιστορία" του Λουκιανού και προσπαθήστε να
απαντήσετε:
«Σε μια φανταστική ιστορία συμβαίνουν πράγματα που
δύσκολα τα πιστεύει κανείς. Πείτε δύο γεγονότα που
δείχνουν ότι η ιστορία που διαβάσατε είναι φανταστική».

Send Cancel

Δεν υπάρχει η δυνατότητα παραγράφου (enter) ούτε επικόλλησης εικόνας

Broadcast to All Breakout Sessions

Broadcast to:

All sessions All participants

(Γλώσσα, Γ τάξη, Γ τεύχος, άσκηση σελ. 17).
Παιδιά, διαβάστε την παρακάτω άσκηση για το κείμενο
"Αληθινή Ιστορία" του Λουκιανού και προσπαθήστε να
απαντήσετε:
«Σε μια φανταστική ιστορία συμβαίνουν πράγματα που
δύσκολα τα πιστεύει κανείς. Πείτε δύο γεγονότα που
δείχνουν ότι η ιστορία που διαβάσατε είναι φανταστική»

Send

- Undo
- Cut
- Copy
- Paste
- Delete
- Select All

**Σας ευχαριστούμε για την παρουσία σας
Καλή συνέχεια!**



Ιωάννα Βορβή και Σωκράτης Τουμπεκτσής